

# SAMEDI 27 X2

## TRK

TATCGU100260



Product specifications may change without notice. Non-contractual information.

|                                                                                                                                                           |                                                                                                                                        |                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b><br>6061 T4-T6 alloy - Extruded & hydroformed variable thickness tubes - rear motor - tapered headtube - 27.5 Plus - 12x148mm Boost           | <b>CRANKS</b><br>Tandem specific forged aluminum Moustache cranks, 170 mm, synchronized - Relay chainring narrow/wide 36 teeth         | <b>HEADSET</b><br>FSA, No 57B-1                                                                                                                                                                      |
| <b>FORK</b><br>SR Suntour, Aion 36, 140mm of travel, EQ RC-PCS cartridge with low-speed compression and rebound adjustment, 27.5 Plus, Boost, Q-lock 15mm | <b>FRONT BRAKE</b><br>Magura, MT5, hydraulic disc, 4 pistons                                                                           | <b>GRIPS</b><br>Ergonomic, dual-density                                                                                                                                                              |
| <b>MOTOR</b><br>Bosch, Performance Line CX BDU38, Smart System, 120 Nm                                                                                    | <b>REAR BRAKE</b><br>Magura, MT5, hydraulic disc, 4 pistons                                                                            | <b>SADDLE</b><br>Moustache, Ergonomic                                                                                                                                                                |
| <b>BATTERY</b><br>Bosch, PowerPack 545Wh, Smart System                                                                                                    | <b>FRONT ROTOR</b><br>Magura, Storm HC, 203mm                                                                                          | <b>SEATPOST</b><br>Front: Moustache, alloy, 27.2mm with 31.6mm adaptor, 350mm // Rear: Suntour NCX, suspension seatpost with 50mm of travel, parallelogram system 350mm x 27.2mm with 31.6mm adaptor |
| <b>ADDITIONNAL BATTERY</b><br>Bosch, PowerPack 545Wh, Smart System                                                                                        | <b>REAR ROTOR</b><br>Magura, Storm HC, 203mm                                                                                           | <b>SEATCLAMP</b><br>Moustache, alloy, 34.9mm                                                                                                                                                         |
| <b>AUTONOMY</b><br>206 km                                                                                                                                 | <b>FRONT HUB</b><br>Moustache, 32H, 15x110mm, thru axle                                                                                | <b>FRONT LIGHT</b><br>Trellock, Lighthammer, 100 lux, powered by main battery                                                                                                                        |
| <b>CHARGER</b><br>Bosch, 4Ah                                                                                                                              | <b>REAR HUB</b><br>Moustache, 32H, 12x148mm, thru axle                                                                                 | <b>REAR LIGHT</b><br>Spanninga, Presto2Guard, powered by main battery                                                                                                                                |
| <b>REMOTE</b><br>Bosch, Purion 200, Smart System                                                                                                          | <b>FRONT RIM</b><br>Moustache, asymmetric, alloy 6061E, welded, double wall, 32 holes, 27.5", internal width 35mm                      | <b>MUDGUARD</b><br>Moustache, alloy, double wall design, w/alloy stays                                                                                                                               |
| <b>BCM</b><br>Not equipped with Bosch ConnectModule                                                                                                       | <b>REAR RIM</b><br>Moustache, asymmetric, alloy 6061E, welded, double wall, 32 holes, 27.5", internal width 35mm                       | <b>CARRIER</b><br>Moustache, alloy, removable QL3 lateral fixation                                                                                                                                   |
| <b>REAR DERAILLEUR</b><br>Shimano, CUES, RD-U6000-GS, 10/11-speed                                                                                         | <b>FRONT TYRE</b><br>Schwalbe, Super Moto-X, 27.5x2.40                                                                                 | <b>PEDALS</b><br>alloy platform with reflectors                                                                                                                                                      |
| <b>CHAINRING</b><br>FSA, Narrow Wide, 34 teeth                                                                                                            | <b>REAR TYRE</b><br>Schwalbe, Super Moto-X, 27.5x2.40                                                                                  | <b>SIZE</b><br>TU                                                                                                                                                                                    |
| <b>CASSETTE</b><br>Shimano, CUES, CS-LG300 10-speed, 11-48T                                                                                               | <b>HANDLEBAR</b><br>Front: Moustache, ergonomic, alloy, 760mm, 9° backsweep // Rear : Moustache, ergonomic, alloy, 680mm, 9° backsweep | <b>COLOR</b><br>Stone Grey glossy                                                                                                                                                                    |
| <b>CHAIN</b><br>Shimano, LG500, 130 links                                                                                                                 | <b>STEM</b><br>Front: Moustache, 3D forged alloy, 65mm // Rear: Moustache, 3D forged alloy, adjustable 155/200mm                       | <b>WEIGHT</b><br>32.6 kg                                                                                                                                                                             |
| <b>SHIFTER</b><br>Shimano, CUES, SL-U6000-10R, 10-speed                                                                                                   |                                                                                                                                        | <b>GVWR</b><br>200 kg                                                                                                                                                                                |

# SAMEDI 27 X2 TRK

TATCGU100260



## WARRANTY

5 years frame and fork Moustache Bikes - 2 years  
motor, battery




Find this bike online

{MOUSTACHE

# SAMEDI 27 X2

# TRK

TATCGU100260



### Samedi 27X2 / 27X2 TRK

|                                        |    |             |             |  |
|----------------------------------------|----|-------------|-------------|--|
| ST - Taille / Size                     | mm | 420 (Rear)  | 510 (Front) |  |
| Taille utilisateur / User size         | m  | 1,50 - 1,85 | 1,72 - 1,95 |  |
| TT - Tube supérieur / Top tube         | mm | 737         | 590         |  |
| RC - Bases / Rear center               | mm | 470         |             |  |
| HT - Douille de direction / Headtube   | mm | 110         |             |  |
| WB - Empattement / Wheelbase           | mm | 1850        |             |  |
| FL - Longueur de fourche / Fork length | mm | 547         |             |  |
| BB - Hauteur de boîtier / BB height    | mm | 310         | 325         |  |
| SA - Angle de selle / Seat angle       | °  | 72          | 73          |  |
| HA - Angle de direction / Head angle   | °  | 70,5        |             |  |
| Reach                                  | mm | -           | 394         |  |
| Stack                                  | mm | -           | 642         |  |
| SO - Enjambement / Standover           | mm | 703         | 800         |  |



Find this bike online

{NOUSTACHE