

# XROAD FS 2

XR2FBM50L270



Product specifications may change without notice. Non-contractual information.

**FRAME**

Xroad FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

**FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

**SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

**MOTOR**

Bosch, Performance Line BDU34, Smart System, 75Nm

**BATTERY**

Bosch, PowerTube 540Wh

**CONDITIONS**

Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .

**CHARGER**

Bosch, 2Ah

**REMOTE**

Bosch, Purion 200, Smart System

**BCM**

Not equipped with Bosch ConnectModule

**RANGE AUTONOMY**

130 km

**REAR DERAILLEUR**

Shimano, CUES, RD-U3020, 9-speed

**CHAINRING**

Narrow-Wide, 40 teeth

**CASSETTE**

Sunrace, CSU98.9AW, 9-speed, 11-36T

**CHAIN**

Shimano, LG500, 130 links

**SHIFTER**

Shimano, CUES, SL-U4000-9R, 9-speed

**CRANKS**

Stronglight, aluminium, 170mm, ISI

**FRONT BRAKE**

Shimano, MT200, hydraulic disc

**REAR BRAKE**

Shimano, MT200, hydraulic disc

**FRONT ROTOR**

Shimano, 180mm

**REAR ROTOR**

Shimano, 180mm

**FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

**REAR HUB**

Shimano, 32H, 9x135mm, QR (Quick Release)

**FRONT RIM**

Alloy , 32 holes, 27.5", internal width 23 mm

**REAR RIM**

Alloy , 32 holes, 27.5", internal width 23 mm

**FRONT TYRE**

Schwalbe, Smart Sam, 27.5x2.35, reflective

**REAR TYRE**

Schwalbe, Smart Sam, 27.5x2.35, reflective

**HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

**STEM**

Moustache, alloy, adjustable, 65mm

**HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

**GRIPS**

SB3, Ergonomic

**SADDLE**

Selle Royal, Essenza + moderate

**SEATPOST**

EXA, 900i, dropper-post w/remote lever, 31.6mm, 100mm

**SEATCLAMP**

Moustache, alloy, 34.9mm

**FRONT LIGHT**

AXA, NXT, 80 lux, powered by main battery

**REAR LIGHT**

High-intensity LED integrated reflector, powered by main battery

**HORN**

Spanninga Minibell Black

**LOCK**

AXA, ATLAS, same key for framelock & battery lock.

**KICKSTAND**

Moustache, adjustable

**MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

**CARRIER**

Moustache, alloy, light, removable QL3 lateral fixation. MIK platform option.

**FRONT CARRIER**

PB-KITOP

**PEDALS**

alloy platform with reflectors

# XROAD FS 2

XR2FBM50L270



## SIZE

M

## COLOR

Marine blue mat

## WEIGHT

27.3 kg

## GVWR

135 kg

## WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery




Find this bike online

**{MOUSTACHE**

# XROAD FS 2

XR2FBM50L270



## Xroad FS / Samedi 27 OFF FS

| ST - Taille / Size                     | mm | (S)         | (M)         | (L)         |
|----------------------------------------|----|-------------|-------------|-------------|
| Taille utilisateur / User size         | m  | 1,55 - 1,72 | 1,65 - 1,85 | 1,80 - 1,95 |
| ST - Tube de selle / Seat tube         | m  | 410         | 460         | 460         |
| TT - Tube supérieur / Top tube         | mm | 580         | 600         | 600         |
| RC - Bases / Rear center               | mm | 515         | 515         | 515         |
| HT - Douille de direction / Headtube   | mm | 170         | 180         | 180         |
| WB - Empattement / Wheelbase           | mm | 1190        | 1209        | 1209        |
| FL - Longueur de fourche / Fork length | mm | 527,5       | 527,5       | 527,5       |
| BB - Hauteur de boîtier / BB height    | mm | 324         | 324         | 324         |
| SA - Angle de selle / Seat angle       | °  | 69,5        | 69,5        | 69,5        |
| HA - Angle de direction / Head angle   | °  | 66          | 66          | 66          |
| Reach                                  | mm | 344         | 361         | 361         |
| Stack                                  | mm | 651         | 661         | 661         |
| SO - Enjambement / Standover           | mm | 518         | 518         | 518         |



Find this bike online

**[NOUSTACHE**