

GAME 160.8

G68FBL700250



Product specifications may change without notice. Non-contractual information.

FRAME

Game, 6061 T4-T6 alloy, 160mm travel, custom integration of Bosch PowerTube battery and new CX drive unit, internal cable routing, 12x148mm, Boost

FORK

FOX, 38 Factory, GRIP X2 w/HSC/LSC/HSR/LSR, 170mm travel, 15x110mm Boost, 44mm offset, mini-fender mounted

SHOCK

Fox, Float X, Factory, Kashima coating, 2 positions lever, rebound and compression ajustement, Moustache tune, 230-65mm, 160mm travel

MOTOR

Bosch, Performance Line CX BDU38, Smart System, 120 Nm

BATTERY

Bosch, PowerTube 750Wh, horizontal, Smart System

CONDITIONS

Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .

CHARGER

Bosch, 4Ah

DISPLAY

Bosch, Purion 400, Smart System

REMOTE

Bosch, System Controller and Mini Remote, Smart System

BCM

Not equipped with Bosch ConnectModule

RANGE AUTONOMY

117 km

REAR DERAILEUR

SRAM, GX AXS T-Type, 12-speed, electronic

CHAINRING

SRAM, T-Type, Narrow Wide, 36 teeth

CASSETTE

SRAM, XS-1270 12-speed, 10-52T

CHAIN

Sram, GX T-Type, 12-speed, 122 links

SHIFTER

SRAM, AXS Pod, 12-speed

CRANKS

FSA, forged + CNC aluminium, 165mm

FRONT BRAKE

Shimano, XT BR-M8120, hydraulic disc, 4 pistons

REAR BRAKE

Shimano, XT, BR-M8120, hydraulic disc, 4 pistons

FRONT ROTOR

Shimano, 220mm

REAR ROTOR

Shimano, 203mm

FRONT HUB

Moustache by Mavic, 28H, Centerlock, 15x110mm, thru axle

REAR HUB

Moustache by Mavic, 28H, ID360, 12x148mm, thru axle

FRONT RIM

Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

REAR RIM

Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

FRONT TYRE

Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / EXO+ / TR (Tubeless Ready)

REAR TYRE

Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / DD / TR (Tubeless Ready)

HANDLEBAR

Moustache, alloy, 780mm, 35mm, 30mm rise, 9° backsweep, 5° upsweep

STEM

Moustache, alloy, CNC, 40mm

HEADSET

Acros, AZF-725, sealed bearings, internal routing, integrated multi-tool

GRIPS

SB3, Hornet

SADDLE

Fizik, Terra Aidon X5

SEATPOST

KS, Rage-i, dropper-post w/ Shimano remote lever, 31.6mm, 170mm

SEATCLAMP

Moustache, alloy, 38.6mm

FRONT LIGHT

-

PEDALS

alloy platform with reflectors

SIZE

L

COLOR

Night Rider glossy

WEIGHT

25.6 kg

GVWR

140 kg

GAME 160.8

G68FBL700250



WARRANTY

5 years frame and fork Moustache Bikes - 2 years
motor, battery




Find this bike online

{MOUSTACHE

GAME 160.8

G68FBL700250



GAME 160.7 / 8 / 9

ST - Taille / Size	mm	390 (S)	410 (M)	435 (L)	460 (XL)
Taille utilisateur / User size	m	1,55 - 1,70	1,65 - 1,80	1,75 - 1,90	1,85 - 2,03
TT - Tube supérieur / Top tube	mm	590	620	645	670
RC - Bases / Rear center	mm	462	462	462	462
HT - Douille de direction / Headtube	mm	100	112	130	140
WB - Empattement / Wheelbase	mm	1233	1266	1295	1322
FL - Longueur de fourche / Fork length	mm	587	587	587	587
BB - Hauteur de boîtier / BB height	mm	353	353	353	353
SA - Angle de selle / Seat angle	°	75,8	75,8	75,8	75,8
HA - Angle de direction / Head angle	°	64,2	64,2	64,2	64,2
Reach	mm	430	460	480	503
Stack	mm	625	636	652	662
SO - Enjambement / Standover	mm	836	836	836	836



Find this bike online

TOUSTACHE