# SAMEDI 27
# XROAD 6 2025

XR6ONS600250



Product specifications may change without notice. Non-contractual information.

**FRAME**
Xroad Open, 6061 T4-T6 alloy, variable thickness hydroformed tubes, Bosch PowerTube battery integration (vertical), integrated cable routing

**FORK**
SR Suntour, Mobie 25, preload adjustment & lockout function, 100mm travel

**MOTOR**
Bosch, Performance Line CX BDU37, Smart System, 85Nm

**BATTERY**
Bosch, PowerTube 625Wh, horizontal, Smart System

**REMOTE**
Bosch, Purion 200, Smart System

**CONDITIONS**
Maximum distance, calculated for a 70kg rider in ideal conditions.  Estimate your battery range .

**CHARGER**
Bosch, 4Ah

**BCM**
Not equipped with Bosch ConnectModule

**RANGE AUTONOMY**
138 km

**REAR DERAILLEUR**
Shimano, CUES, RD-U6020-11, 11-speed

**CHAINRING**
FSA, Narrow-Wide, 38 teeth, chainguard

**CASSETTE**
Shimano, CUES, CS-LG400 11-speed, 11-45T

**CHAIN**
Shimano, CN-LG500, 120 links

**SHIFTER**
Shimano, CUES, SL-U6000-11R, 11-speed

**CRANKS**
Moustache aluminium, 170 mm, compatible with Gen2 / Gen4 motor

**FRONT BRAKE**
Shimano, MT200, hydraulic disc

**REAR BRAKE**
Shimano, MT200, hydraulic disc

**FRONT ROTOR**
Shimano, 180mm

**REAR ROTOR**
Shimano, 160mm

**FRONT HUB**
Shimano, 32H, 15x100mm, thru axle

**REAR HUB**
Shimano, 32H, 9x141mm, QR (Quick Release)

**FRONT RIM**
Moustache, asymmetric, alloy 6061E, welded, 32 holes, 27.5'', internal width 23mm

**REAR RIM**
Moustache, asymmetric, alloy 6061E, welded, 32 holes, 27.5'', internal width 23mm

**FRONT TYRE**
Schwalbe, Smart Sam, 27.5x2.25

**REAR TYRE**
Schwalbe, Smart Sam, 27.5x2.25

**HANDLEBAR**
Moustache, ergonomique, aluminium, 680mm, backsweep 25°

**STEM**
Moustache, alloy, adjustable, 90mm

**HEADSET**
FSA, No 57B

**GRIPS**
SB3, Race

**SADDLE**
Selle Royal, Essenza + moderate

**SEATPOST**
EXA, 860i, suspension dropper-post w/remote lever, 31.6mm, 75mm

**SEATCLAMP**
Moustache, alloy, 34.9mm

**FRONT LIGHT**
Trelock, Lighthammer, 80 lux, powered by main battery

**REAR LIGHT**
Spanninga, Presto2Guard, powered by main battery

**LOCK**
AXA, Block XXL, same key for framelock & battery lock

**KICKSTAND**
Moustache, adjustable

**MUDGUARD**
Moustache, alloy, double wall design, w/alloy stays

**CARRIER**
Moustache, alloy, removable QL3 lateral fixation, MIK HD platform

**PEDALS**
alloy platform with reflectors

**SIZE**
S

**COLOR**
Black glossy

**WEIGHT**
25.9 kg

**GVWR**
135 kg

# SAMEDI 27
# XROAD 6 2025

XR6ONS600250



**WARRANTY**


5 years frame and fork Moustache Bikes - 2 years motor, battery

**Find this bike online**

# SAMEDI 27
# XROAD 6 2025

XR6ONS600250






## Xroad 6 Open

| ST - Taille / Size | mm | 390 (S) | 450 (M) | 510 (L) |
|---|---|---|---|---|
| Taille utilisateur / User size | m | 1,49 - 1,61 | 1,59 - 1,76 | 1,74 - 1,90 |
| TT - Tube supérieur / Top tube | mm | 560 | 580 | 610 |
| RC - Bases / Rear center | mm | 475 | 475 | 475 |
| HT - Douille de direction / Headtube | mm | 140 | 140 | 140 |
| WB - Empattement / Wheelbase | mm | 1181 | 1090 | 1114 |
| FL - Longueur de fourche / Fork length | mm | 501 | 501 | 501 |
| BB - Hauteur de boitier / BB height | mm | 303 | 303 | 303 |
| SA - Angle de selle / Seat angle | ° | 70,5 | 70,5 | 70,5 |
| HA - Angle de direction / Head angle | ° | 66,5 | 67 | 67,5 |
| Reach | mm | 350 | 364 | 393 |
| Stack | mm | 620 | 622 | 625 |
| SO - Enjambement / Standover | mm | 655 | 659 | 678 |

**Find this bike online**

{TOUSTACHE