

SAMEDI 27

XROAD 6 2025

XR6ONS600250



Product specifications may change without notice. Non-contractual information.

FRAME Xroad Open, 6061 T4-T6 alloy, variable thickness hydroformed tubes, Bosch PowerTube battery integration (vertical), integrated cable routing	CRANKS Moustache aluminium, 170 mm, compatible with Gen2 / Gen4 motor	GRIPS SB3, Race
FORK SR Suntour, Mobie 25, preload adjustment & lockout function, 100mm travel	FRONT BRAKE Shimano, MT200, hydraulic disc	SADDLE Selle Royal, Essenza + moderate
MOTOR Bosch, Performance Line CX BDU37, Smart System, 85Nm	REAR BRAKE Shimano, MT200, hydraulic disc	SEATPOST EXA, 860i, suspension dropper-post w/remote lever, 31.6mm, 75mm
BATTERY Bosch, PowerTube 625Wh, horizontal, Smart System	FRONT ROTOR Shimano, 180mm	SEATCLAMP Moustache, alloy, 34.9mm
CONDITIONS Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .	REAR ROTOR Shimano, 160mm	FRONT LIGHT Trellock, Lighthammer, 80 lux, powered by main battery
CHARGER Bosch, 4Ah	FRONT HUB Shimano, 32H, 15x100mm, thru axle	REAR LIGHT Spanninga, Presto2Guard, powered by main battery
REMOTE Bosch, Purion 200, Smart System	REAR HUB Shimano, 32H, 9x141mm, QR (Quick Release)	LOCK AXA, Block XXL, same key for framelock & battery lock
BCM Not equipped with Bosch ConnectModule	FRONT RIM Moustache, asymmetric, alloy 6061E, welded, 32 holes, 27.5", internal width 23mm	KICKSTAND Moustache, adjustable
RANGE AUTONOMY 138 km	REAR RIM Moustache, asymmetric, alloy 6061E, welded, 32 holes, 27.5", internal width 23mm	MUDGUARD Moustache, alloy, double wall design, w/alloy stays
REAR DERAILLEUR Shimano, CUES, RD-U6020-11, 11-speed	FRONT TYRE Schwalbe, Smart Sam, 27.5x2.25	CARRIER Moustache, alloy, removable QL3 lateral fixation, MIK HD platform
CHAINRING FSA, Narrow-Wide, 38 teeth, chainguard	REAR TYRE Schwalbe, Smart Sam, 27.5x2.25	PEDALS alloy platform with reflectors
CASSETTE Shimano, CUES, CS-LG400 11-speed, 11-45T	HANDLEBAR Moustache, ergonomique, aluminium, 680mm, backsweep 25°	SIZE S
CHAIN Shimano, CN-LG500, 120 links	STEM Moustache, alloy, adjustable, 90mm	COLOR Black glossy
SHIFTER Shimano, CUES, SL-U6000-11R, 11-speed	HEADSET FSA, No 57B	WEIGHT 25.9 kg
		GVWR 135 kg

SAMEDI 27

XROAD 6 2025

XR6ONS600250



WARRANTY

5 years frame and fork Moustache Bikes - 2 years
motor, battery




Find this bike online

{MOUSTACHE

SAMEDI 27

XROAD 6 2025

XR6ONS600250



Xroad 6 Open

ST - Taille / Size	mm	390 (S)	450 (M)	510 (L)
Taille utilisateur / User size	m	1,49 - 1,61	1,59 - 1,76	1,74 - 1,90
TT - Tube supérieur / Top tube	mm	560	580	610
RC - Bases / Rear center	mm	475	475	475
HT - Douille de direction / Headtube	mm	140	140	140
WB - Empattement / Wheelbase	mm	1181	1090	1114
FL - Longueur de fourche / Fork length	mm	501	501	501
BB - Hauteur de boîtier / BB height	mm	303	303	303
SA - Angle de selle / Seat angle	°	70,5	70,5	70,5
HA - Angle de direction / Head angle	°	66,5	67	67,5
Reach	mm	350	364	393
Stack	mm	620	622	625
SO - Enjambement / Standover	mm	655	659	678



Find this bike online

{NOUSTACHE