GAME 150.8

G58FBL600250



Product specifications may change without notice. Non-contractual information.

FRAME
Game, 6061 T4-T6 alloy, 150mm travel, custom integration of Bosch PowerTube battery and new CX drive unit, internal cable routing, 12x148mm, Boost

FORK
FOX, 36 Factory, Kashima coating, GRIP X2 w/ HSC/LSC/HSR/LSR, 160mm travel, 15x110mm, Boost, 44mm Offset, mini-fender mounted

SHOCK
Moustache, Magic Grip Control 150, specific Air Shock w/ 2-position platform and dynamic control of rebound, build-in 230x60mm, 150mm travel

MOTOR
Bosch, Performance Line CX BDU38, Smart System, 120 Nm

BATTERY
Bosch, PowerTube 600Wh, Smart System

DISPLAY
Bosch, Purion 400, Smart System

REMOTE
Bosch, System Controller and Mini Remote, Smart System

CONDITIONS
Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .

CHARGER
Bosch, 4Ah

BCM
Not equipped with Bosch ConnectModule

RANGE AUTONOMY
97 km

REAR DERAILLEUR
SRAM, GX AXS T-Type, 12-speed, electronic

CHAINRING
SRAM, T-Type, Narrow Wide, 36 teeth

CASSETTE
SRAM, XS-1270 12-speed, 10-52T

CHAIN
Sram, GX T-Type, 12-speed, 122 links

SHIFTER
SRAM, AXS Pod, 12-speed

CRANKS
FSA, forged + CNC aluminium, 165mm

FRONT BRAKE
Shimano, XT, BR-M8120, hydraulic disc, 4 pistons

REAR BRAKE
Shimano, XT, BR-M8120, hydraulic disc, 4 pistons

FRONT ROTOR
Shimano, XT, alloy star, 203mm

REAR ROTOR
Shimano, XT, alloy star, 203mm

FRONT HUB
Moustache by Mavic, 28H, Centerlock, 15x110mm, thru axle

REAR HUB
Moustache by Mavic, 28H, ID360, 12x148mm, thru axle

FRONT RIM
Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

REAR RIM
Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

WHEELS
Moustache AL / Maxxis Assegai 29x2.5 3C

FRONT TYRE
Maxxis, Assegai, 29x2.50, foldable, 3C MaxxTerra / EXO+ / TR (Tubeless Ready)

REAR TYRE
Maxxis, Assegai, 29x2.50, foldable, 3C MaxxTerra / EXO+ / TR (Tubeless Ready)

HANDLEBAR
Moustache, Just_Carbon, 780mm, 31.8mm, 12mm rise, 9° backsweep, 4° upsweep

STEM
Moustache, alloy, CNC, 40mm

HEADSET
Acros, AZF-725, sealed bearings, internal routing, integrated multi-tool

GRIPS
SB3, Race

SADDLE
Fizik, Terra Aidon X5

SEATPOST
KS, Rage-i, dropper-post w/ Shimano remote lever, 31.6mm, 170mm

SEATCLAMP
Moustache, alloy, 38.6mm

FRONT LIGHT
-

PEDALS
alloy platform with reflectors

SIZE
L

COLOR
Night Rider glossy

WEIGHT
23.5 kg

GAME 150.8

G58FBL600250



GVWR

140 kg

WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery


Find this bike online

MOUSTACHE

GAME 150.8

G58FBL600250





GAME 150.6 / 7 / 8

ST - Taille / Size	mm	390 (S)	410 (M)	435 (L)	460 (XL)
Taille utilisateur / User size	m	1,55 - 1,70	1,65 - 1,80	1,75 - 1,90	1,85 - 2,03
TT - Tube supérieur / Top tube	mm	590	620	645	670
RC - Bases / Rear center	mm	462	462	462	462
HT - Douille de direction / Headtube	mm	100	112	130	140
WB - Empattement / Wheelbase	mm	1228	1260	1289	1316
FL - Longueur de fourche / Fork length	mm	575	575	575	575
BB - Hauteur de boitier / BB height	mm	349	349	349	349
SA - Angle de selle / Seat angle	°	76,3	76,3	76,3	76,3
HA - Angle de direction / Head angle	°	64,7	64,7	64,7	64,7
Reach	mm	437	465	485	510
Stack	mm	621	632	648	657
SO - Enjambement / Standover	mm	830	830	830	830

Find this bike online

{TOUSTACHE