

XROAD FS 6

XR6FBL60L260



Product specifications may change without notice. Non-contractual information.

FRAME Xroad FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit	SHIFTER Shimano, CUES, SL-U6000-11R, 11-speed	GRIPS SB3, Ergonomic
FORK SR Suntour, XCR 34, lockout function, 120mm travel	CRANKS Stronglight, aluminium, 170mm, ISI	SADDLE Selle Royal, Essenza + moderate
SHOCK Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel	FRONT BRAKE Magura, MT Thirty, hydraulic disc, 4 pistons	SEATPOST EXA, 900i, dropper-post w/remote lever, 31.6mm, 150mm
MOTOR Bosch, Performance Line CX BDU38, Smart System, 120 Nm	REAR BRAKE Magura, MT Thirty, hydraulic disc, 2 pistons	SEATCLAMP Moustache, alloy, 34.9mm
BATTERY Bosch, PowerTube 600Wh, Smart System	FRONT ROTOR Magura, MDR-C, 180mm	FRONT LIGHT AXA, NXT, 80 lux, powered by main battery
AUTONOMY 135 km	REAR ROTOR Magura, MDR-C, 180mm	REAR LIGHT Spanninga, Presto2Guard, powered by main battery
CHARGER Bosch, 4Ah	FRONT HUB Shimano, 32H, 15x110mm, thru axle	HORN Spanninga Minibell Black
DISPLAY Bosch, Kiox 500, Smart System	REAR HUB Shimano, 32H, 15x100mm, thru axle	LOCK Battery lock ABUS, Xplus, One-Key option. Framelock Axa Block XXL.
REMOTE Bosch, LED remote Bluetooth	FRONT RIM Alloy , 32 holes, 27.5", internal width 27 mm	KICKSTAND Moustache, adjustable
BCM Not equipped with Bosch ConnectModule	REAR RIM Alloy , 32 holes, 27.5", internal width 27 mm	MUDGUARD Moustache, alloy, double wall design, w/alloy stays
REAR DERAILEUR Shimano, CUES, RD-U6020-11, 11-speed	FRONT TYRE Schwalbe, Smart Sam, 27.5x2.35, reflective	CARRIER Moustache, alloy, light, removable QL3 lateral fixation. MIK platform option.
CHAINRING Narrow-Wide, 38 teeth	REAR TYRE Schwalbe, Smart Sam, 27.5x2.35, reflective	FRONT CARRIER PB-KITOP
CASSETTE Shimano, CUES, CS-LG400 11-speed, 11-45T	HANDLEBAR Moustache, ergonomic, alloy, 660mm, 30° backsweep	PEDALS alloy platform with reflectors
CHAIN Shimano, LG500, 130 links	STEM Moustache, alloy, adjustable, 110mm	SIZE L
	HEADSET Acros, AZF-699, sealed bearings, internal routing, blocklock	COLOR Marine blue mat

XROAD FS 6

XR6FBL60L260



WEIGHT

27.4 kg

GVWR

160 kg

WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery




Find this bike online

{MOUSTACHE

XROAD FS 6

XR6FBL60L260



Xroad FS / Samedi 27 OFF FS

ST - Taille / Size	mm	(S)	(M)	(L)
Taille utilisateur / User size	m	1,55 - 1,72	1,65 - 1,85	1,80 - 1,95
ST - Tube de selle / Seat tube	m	410	460	460
TT - Tube supérieur / Top tube	mm	580	600	600
RC - Bases / Rear center	mm	515	515	515
HT - Douille de direction / Headtube	mm	170	180	180
WB - Empattement / Wheelbase	mm	1190	1209	1209
FL - Longueur de fourche / Fork length	mm	527,5	527,5	527,5
BB - Hauteur de boîtier / BB height	mm	324	324	324
SA - Angle de selle / Seat angle	°	69,5	69,5	69,5
HA - Angle de direction / Head angle	°	66	66	66
Reach	mm	344	361	361
Stack	mm	651	661	661
SO - Enjambement / Standover	mm	518	518	518



Find this bike online

[T]OUSTACHE