

SAMEDI 28.4

2025

S84CRL500250



Product specifications may change without notice. Non-contractual information.

FRAME Samedi 28, 6061 T4-T6 alloy, variable thickness hydroformed tubes, Bosch PowerTube battery integration (Vertical), integrated cable routing	CRANKS Moustache, aluminium, 170mm moteur Gen3	GRIPS Ergonomic, dual-density
FORK SR Suntour, NEX-E25, HLO, preload adjustment & lockout function, 63mm travel	FRONT BRAKE Shimano, MT200 or Alhonga HJ-472, hydraulic disc brake	SADDLE Selle Royal, Essenza + moderate
MOTOR Bosch, Performance Line BDU33, Smart System, 75Nm	REAR BRAKE Shimano, MT200 or Alhonga HJ-472, hydraulic disc brake	SEATPOST Suspension, alloy, 31.6mm, 350mm, 40mm travel
BATTERY Bosch, PowerTube 500Wh, vertical, Smart System	FRONT ROTOR Shimano, 180mm or Alhonga, 180mm	SEATCLAMP Moustache, alloy, 34.9mm
CONDITIONS Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .	REAR ROTOR Shimano, 160mm or Alhonga, 160mm	FRONT LIGHT AXA, NXT, 30 lux, powered by main battery
CHARGER Bosch, 2Ah	FRONT HUB Shimano, 32H, 9x100mm, QR (Quick Release)	REAR LIGHT Spanninga, Presto2Guard, powered by main battery
REMOTE Bosch, Purion 200, Smart System	REAR HUB Shimano, 32H, 9x135mm, QR (Quick Release)	LOCK AXA, Block XXL, same key for framelock & battery lock
BCM Not equipped with Bosch ConnectModule	FRONT RIM Moustache, asymmetric, alloy 6061E, welded, 32 holes, 28", internal width 23mm	KICKSTAND Moustache, adjustable
RANGE AUTONOMY 125 km	REAR RIM Moustache, asymmetric, alloy 6061E, welded, 32 holes, 28", internal width 23mm	MUDGUARD Moustache, alloy, double wall design, w/alloy stays
REAR DERAILLEUR Shimano, CUES, RD-U6020, 10-speed	FRONT TYRE Schwalbe, Big Apple, 700x50C	CARRIER Moustache, alloy, removable QL3 lateral fixation, MIK HD platform
CHAINRING Narrow-Wide, 40 teeth	REAR TYRE Schwalbe, Big Apple, 700x50C	PEDALS alloy platform with reflectors
CASSETTE Shimano, CUES, CS-LG300 10-speed, 11-39T	HANDLEBAR Moustache, ergonomic, alloy, 80mm rise	SIZE L
CHAIN Shimano, LG500, 120 links	STEM Moustache, alloy, adjustable, 90mm	COLOR Metalic red glossy
SHIFTER Shimano, CUES, SL-U6000-10R, 10-speed	HEADSET FSA, No 57B-1	WEIGHT 26.5 kg
		GVWR 135 kg

SAMEDI 28.4 2025

S84CRL500250



WARRANTY

5 years frame and fork Moustache Bikes - 2 years
motor, battery




Find this bike online

{MOUSTACHE

SAMEDI 28.4

2025

S84CRL500250



Samedi 28 ES / 28.4

ST - Taille / Size	mm	420 (S)	470 (M)	530 (L)	580 (XL)
Taille utilisateur / User size	m	1,55 - 1,70	1,68 - 1,83	1,80 - 1,95	1,90 - 2,05
TT - Tube supérieur / Top tube	mm	560	585	610	635
RC - Bases / Rear center	mm	475	475	475	475
HT - Douille de direction / Headtube	mm	170	170	170	190
WB - Empattement / Wheelbase	mm	1106	1121	1147	1173
FL - Longueur de fourche / Fork length	mm	477	477	477	477
BB - Hauteur de boîtier / BB height	mm	305	305	305	305
SA - Angle de selle / Seat angle	°	71,5	71,5	71,5	71,5
HA - Angle de direction / Head angle	°	67,7	68,5	68,5	68,5
Reach	mm	347	371	396	415
Stack	mm	644	644	644	644
SO - Enjambement / Standover	mm	770	774	782	786



Find this bike online

{NOUSTACHE