

XROAD FS 2

XR2FBL50L260



Product specifications may change without notice. Non-contractual information.

FRAME Xroad FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit	SHIFTER Shimano, CUES, SL-U4000-9R, 9-speed	GRIPS SB3, Ergonomic
FORK SR Suntour, XCM32-ATB, LO, preload adjustment & lockout function, 100mm travel	CRANKS Stronglight, aluminium, 170mm, ISI	SADDLE Selle Royal, Essenza + moderate
SHOCK Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel	FRONT BRAKE Shimano, MT200, hydraulic disc	SEATPOST EXA, 900i, dropper-post w/remote lever, 31.6mm, 150mm
MOTOR Bosch, Performance Line BDU34, Smart System, 75Nm	REAR BRAKE Shimano, MT200, hydraulic disc	SEATCLAMP Moustache, alloy, 34.9mm
BATTERY Bosch, PowerTube 540Wh	FRONT ROTOR Shimano, 180mm	FRONT LIGHT AXA, NXT, 80 lux, powered by main battery
AUTONOMY 126 km	REAR ROTOR Shimano, 180mm	REAR LIGHT Spanninga, Presto2Guard, powered by main battery
CHARGER Bosch, 2Ah	FRONT HUB Shimano, 32H, 9x100mm, QR (Quick Release)	HORN Spanninga Minibell Black
REMOTE Bosch, Purion 200, Smart System	REAR HUB Shimano, 32H, 9x100mm, QR (Quick Release)	LOCK Battery lock ABUS, Xplus, One-Key option. Framelock Axa Block XXL.
BCM Not equipped with Bosch ConnectModule	FRONT RIM Alloy , 32 holes, 27.5", internal width 23 mm	KICKSTAND Moustache, adjustable
REAR DERAILLEUR Shimano, CUES, RD-U3020, 9-speed	REAR RIM Alloy , 32 holes, 27.5", internal width 23 mm	MUDGUARD Moustache, alloy, double wall design, w/alloy stays
CHAINRING Narrow-Wide, 40 teeth	FRONT TYRE Schwalbe, Smart Sam, 27.5x2.35, reflective	CARRIER Moustache, alloy, light, removable QL3 lateral fixation. MIK platform option.
CASSETTE Shimano, CUES, CS-LG300 9-speed, 11-36T	REAR TYRE Schwalbe, Smart Sam, 27.5x2.35, reflective	FRONT CARRIER PB-KITOP
CHAIN Shimano, LG500, 130 links	HANDLEBAR Moustache, ergonomic, alloy, 660mm, 30° backsweep	PEDALS alloy platform with reflectors
	STEM Moustache, alloy, adjustable, 110mm	SIZE L
	HEADSET Acros, AZF-699, sealed bearings, internal routing, blocklock	COLOR Marine blue mat

XROAD FS 2

XR2FBL50L260



WEIGHT

27.3 kg

GVWR

135 kg

WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery




Find this bike online

{MOUSTACHE

XROAD FS 2

XR2FBL50L260



Xroad FS / Samedi 27 OFF FS

ST - Taille / Size	mm	(S)	(M)	(L)
Taille utilisateur / User size	m	1,55 - 1,72	1,65 - 1,85	1,80 - 1,95
ST - Tube de selle / Seat tube	m	410	460	460
TT - Tube supérieur / Top tube	mm	580	600	600
RC - Bases / Rear center	mm	515	515	515
HT - Douille de direction / Headtube	mm	170	180	180
WB - Empattement / Wheelbase	mm	1190	1209	1209
FL - Longueur de fourche / Fork length	mm	527,5	527,5	527,5
BB - Hauteur de boîtier / BB height	mm	324	324	324
SA - Angle de selle / Seat angle	°	69,5	69,5	69,5
HA - Angle de direction / Head angle	°	66	66	66
Reach	mm	344	361	361
Stack	mm	651	661	661
SO - Enjambement / Standover	mm	518	518	518



Find this bike online

[T]OUSTACHE