

SAMEDI 27

XROAD 4 2025

XR4OBM500250



Product specifications may change without notice. Non-contractual information.

FRAME Xroad Open, 6061 T4-T6 alloy, variable thickness hydroformed tubes, Bosch PowerTube battery integration (vertical), integrated cable routing	CRANKS Moustache, aluminium, 170mm moteur Gen3	GRIPS Ergonomic, dual-density
FORK SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel	FRONT BRAKE Shimano, MT200 or Alhonga HJ-472, hydraulic disc brake	SADDLE Selle Royal, Essenza + moderate
MOTOR Bosch, Performance Line BDU33, Smart System, 75Nm	REAR BRAKE Shimano, MT200 or Alhonga HJ-472, hydraulic disc brake	SEATPOST Suspension, alloy, 31.6mm, 350mm, 40mm travel
BATTERY Bosch, PowerTube 500Wh, vertical, Smart System	FRONT ROTOR Shimano, 180mm or Alhonga, 180mm	SEATCLAMP Moustache, alloy, 34.9mm
CONDITIONS Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .	REAR ROTOR Shimano, 160mm or Alhonga, 160mm	FRONT LIGHT AXA, NXT, 30 lux, powered by main battery
CHARGER Bosch, 2Ah	FRONT HUB Shimano, 32H, 9x100mm, QR (Quick Release)	REAR LIGHT Spanninga, Presto2Guard, powered by main battery
REMOTE Bosch, Purion 200, Smart System	REAR HUB Shimano, 32H, 9x135mm, QR (Quick Release)	LOCK AXA, Block XXL, same key for framelock & battery lock
BCM Not equipped with Bosch ConnectModule	FRONT RIM Moustache, asymmetric, alloy 6061E, welded, 32 holes, 27.5", internal width 23mm	KICKSTAND Moustache, adjustable
RANGE AUTONOMY 125 km	REAR RIM Moustache, asymmetric, alloy 6061E, welded, 32 holes, 27.5", internal width 23mm	MUDGUARD Moustache, alloy, double wall design, w/alloy stays
REAR DERAILLEUR Shimano, CUES, RD-U6020, 10-speed	FRONT TYRE Schwalbe, Smart Sam, 27.5x2.25	CARRIER Moustache, alloy, removable QL3 lateral fixation, MIK HD platform
CHAINRING Narrow-Wide, 40 teeth	REAR TYRE Schwalbe, Smart Sam, 27.5x2.25	PEDALS alloy platform with reflectors
CASSETTE Shimano, CUES, CS-LG300 10-speed, 11-39T	HANDLEBAR Moustache, ergonomic, alloy, 680mm, 25° backsweep	SIZE M
CHAIN Shimano, CN-LG500, 120 links	STEM Moustache, alloy, adjustable, 90mm	COLOR Dark Blue matt
SHIFTER Shimano, CUES, SL-U6000-10R, 10-speed	HEADSET FSA, No 57B	WEIGHT 25.9 kg
		GVWR 135 kg

SAMEDI 27

XROAD 4 2025

XR4OBM500250



WARRANTY

5 years frame and fork Moustache Bikes - 2 years
motor, battery




Find this bike online

{MOUSTACHE

SAMEDI 27

XROAD 4 2025

XR4OBM500250



Xroad 2 / 4 Open

ST - Taille / Size	mm	390 (S)	450 (M)	510 (L)
Taille utilisateur / User size	m	1,49 - 1,61	1,59 - 1,76	1,74 - 1,90
TT - Tube supérieur / Top tube	mm	555	580	605
RC - Bases / Rear center	mm	475	475	475
HT - Douille de direction / Headtube	mm	170	170	170
WB - Empattement / Wheelbase	mm	1109	1118	1143
FL - Longueur de fourche / Fork length	mm	487	487	487
BB - Hauteur de boîtier / BB height	mm	298	298	298
SA - Angle de selle / Seat angle	°	71	71	71
HA - Angle de direction / Head angle	°	67,2	68	68
Reach	mm	336	360	385
Stack	mm	643	648	648
SO - Enjambement / Standover	mm	438	438	438



Find this bike online

{NOUSTACHE