# CLUTCH SUV 150.7

C57FGL7E0250



Product specifications may change without notice. Non-contractual information.

**FRAME**
Clutch, 6061 T4-T6 alloy, 150mm travel, custom integration of Moustache Batterie and Pinion MGU, internal cable routing, 12x148mm, Boost, 29"/27.5" Mullet wheel configuration

**FORK**
RockShox, PSYLO Silver RC, Solo Air spring w/ external rebound, Motion Control damping featuring low speed compression adjustment to lockout 150mm travel, 15x110mm, Boost, 44mm Offset, mini-fender compatible

**SHOCK**
Moustache, Magic Grip Control 150, specific Air Shock w/ 2-position platform and dynamic control of rebound, build-in 230x60mm, 150mm travel

**MOTOR**
Pinion MGU, integrated 12 speed, 85-160Nm

**BATTERY**
Moustache 780Wh

**DISPLAY**
FIT, Master Node Display

**REMOTE**
FIT Remote Pure with control ring and function button

**CHARGER**
FIT, 4.8Ah

**CHAINRING**
Gates, Carbon Drive 39T

**CASSETTE**
Gates, CDX Carbon Drive 39T

**CHAIN**
Gates, CDX belt, clean, smooth and resistant

**SHIFTER**
Pinion TE1 E-Trigger

**CRANKS**
Pinion, alloy 160mm

**FRONT BRAKE**
Magura, MT5, hydraulic disc, 4 pistons

**REAR BRAKE**
Magura, MT5, hydraulic disc, 4 pistons

**FRONT ROTOR**
Magura, MDR-C, 203mm

**REAR ROTOR**
Magura, MDR-C, 203mm

**FRONT HUB**
Moustache, 28H, 15x110mm, thru axle

**REAR HUB**
Moustache by Mavic, 28H, ID360, 12x148mm, thru axle

**FRONT RIM**
Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

**REAR RIM**
Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 27,5", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

**WHEELS**
Moustache AL / Maxxis Rekon 29x2.4 27x2.4

**FRONT TYRE**
Maxxis, Rekon, 29x2.40, foldable, EXO/TR (Tubeless Ready)

**REAR TYRE**
Maxxis, Rekon, 27.5x2.40, foldable, EXO/TR (Tubeless Ready)

**HANDLEBAR**
Moustache, alloy, 780mm, 35mm, 30mm rise, 9° backsweep, 5° upsweep

**STEM**
Moustache, alloy, 3D forged, 40mm

**HEADSET**
Acros, AZF-725, sealed bearings, internal routing

**GRIPS**
SB3, Hornet

**SADDLE**
Selle Royal, VIVO

**SEATPOST**
EXA, 900i, dropper-post w/remote lever, 31.6mm, 170mm

**SEATCLAMP**
Moustache, alloy, 38.6mm

**FRONT LIGHT**
Supernova, Mini 3 Pure, 500 lumen, powered by main battery

**REAR LIGHT**
Supernova, TL3 Z, powered by main battery

**HORN**
Spanninga Minibell Black

**KICKSTAND**
Moustache, adjustable

**MUDGUARD**
Moustache, stable and perfect protection thanks to the integrated mudflap

**CARRIER**
Moustache, alloy, light, removable QL3 lateral fixation

**PEDALS**
alloy platform with reflectors

**SIZE**
L

**COLOR**
Slab Grey glossy

# CLUTCH SUV 150.7

C57FGL7E0250




**WEIGHT**
27.9 kg

**GVWR**
150 kg

**WARRANTY**
5 years frame and fork Moustache Bikes - 2 years motor, battery


**Find this bike online**

MOUSTACHE

# CLUTCH SUV 150.7

C57FGL7E0250






## CLUTCH SUV 150

| ST - Taille / Size | mm | 370 (S) | 400 (M) | 430 (L) | 460 (XL) |
|---|---|---|---|---|---|
| Taille utilisateur / User size | m | 1,55 - 1,70 | 1,65 - 1,80 | 1,75 - 1,90 | 1,85 - 2,03 |
| TT - Tube supérieur / Top tube | mm | 580 | 607 | 631 | 657 |
| RC - Bases / Rear center | mm | 450 | 450 | 450 | 450 |
| HT - Douille de direction / Headtube | mm | 100 | 110 | 130 | 140 |
| WB - Empattement / Wheelbase | mm | 1224 | 1253 | 1282 | 1310 |
| BB - Hauteur de boitier / BB height | mm | 350 | 350 | 350 | 350 |
| SA - Angle de selle / Seat angle | ° | 77,1 | 77,1 | 77,1 | 77,1 |
| HA - Angle de direction / Head angle | ° | 64,4 | 64,4 | 64,4 | 64,4 |
| Reach | mm | 437 | 462 | 482 | 506 |
| Stack | mm | 621 | 634 | 648 | 656 |
| SO - Enjambement / Standover | mm | 806 | 806 | 806 | 806 |

**Find this bike online**

MOUSTACHE