

# LUNDI 20

# CARGO 5

L05OGU500250



Product specifications may change without notice. Non-contractual information.

|                                                                                                                                                                                                                         |                                                                                                                                             |                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b><br>Lundi 20 low step-over, 6061 T4-T6 alloy, hydroformed and extruded triple cavity tubes for optimal stiffness. Integrated cable routing. Optimal geometry for stable handling and great manoeuvrability. | <b>FRONT ROTOR</b><br>Magura, MDR-C, 203mm                                                                                                  | <b>FRONT LIGHT</b><br>AXA, NXT, 30 lux, powered by main battery                                                                                                                                                                              |
| <b>FORK</b><br>SR Suntour Mobie 34 Suspension Fork, designed to withstand the forces of cargo use. 70mm travel with Lockout function. Boost spacing                                                                     | <b>REAR ROTOR</b><br>Magura, MDR-C, 180mm                                                                                                   | <b>REAR LIGHT</b><br>AXA, Duo Flat, increased brightness under deceleration, powered by main battery                                                                                                                                         |
| <b>MOTOR</b><br>Bosch, Cargo Line, Smart System, 85Nm                                                                                                                                                                   | <b>FRONT HUB</b><br>Moustache, 32H, 15x110mm, thru axle                                                                                     | <b>HORN</b><br>Spanninga Minibell Black                                                                                                                                                                                                      |
| <b>BATTERY</b><br>Bosch, PowerPack 545Wh, Smart System                                                                                                                                                                  | <b>REAR HUB</b><br>Enviolo, HD 380%, 32H, 12x148mm, nut                                                                                     | <b>LOCK</b><br>AXA Imenso                                                                                                                                                                                                                    |
| <b>AUTONOMY</b><br>100 km                                                                                                                                                                                               | <b>FRONT RIM</b><br>Moustache, asymmetric, alloy 6061E, welded, 32 holes, 20", internal width 35mm                                          | <b>KICKSTAND</b><br>Moustache, central, wide support for better stability, Pedal activated                                                                                                                                                   |
| <b>CHARGER</b><br>Bosch, 2Ah                                                                                                                                                                                            | <b>REAR RIM</b><br>Moustache, asymmetric, alloy 6061E, welded, 32 holes, 20", internal width 35mm                                           | <b>MUDGUARD</b><br>Front: Moustache, alloy, double wall design, w/alloy stays and mudflap / Rear: PP, 180° lateral protection                                                                                                                |
| <b>REMOTE</b><br>Bosch, Purion 200, Smart System                                                                                                                                                                        | <b>FRONT TYRE</b><br>Schwalbe, Pick-Up, 20x2.35, Super Defense                                                                              | <b>CARRIER</b><br>Moustache, alloy, exclusive longtail design. Removable side fastenings for QL3 luggage. Platform with multiple MIK HD system to rapidly attach all compatible accessories, bags and child seats. Up to 70kg load capacity. |
| <b>CHAINRING</b><br>Gates, 55T                                                                                                                                                                                          | <b>REAR TYRE</b><br>Schwalbe, Pick-Up, 20x2.35, Super Defense                                                                               | <b>FRONT CARRIER</b><br>Moustache, alloy, compatible with MIK baskets and accessories                                                                                                                                                        |
| <b>CASSETTE</b><br>Gates, 22T                                                                                                                                                                                           | <b>HANDLEBAR</b><br>Moustache, Lundi custom ergonomic, alloy                                                                                | <b>PEDALS</b><br>alloy platform with reflectors                                                                                                                                                                                              |
| <b>CHAIN</b><br>Gates, CDX belt, clean, smooth and resistant                                                                                                                                                            | <b>HEADSET</b><br>NO.55R/57SC                                                                                                               | <b>SIZE</b><br>TU                                                                                                                                                                                                                            |
| <b>SHIFTER</b><br>Enviolo, PRO, rotating handle with visual indicator                                                                                                                                                   | <b>GRIPS</b><br>Ergonomic, dual-density                                                                                                     | <b>COLOR</b><br>Silk Grey                                                                                                                                                                                                                    |
| <b>CRANKS</b><br>Moustache aluminium, 170 mm, compatible with Gen2 / Gen4 motor                                                                                                                                         | <b>SADDLE</b><br>Selle Royal, Essenza Moderate Lady                                                                                         | <b>WEIGHT</b><br>32 kg                                                                                                                                                                                                                       |
| <b>FRONT BRAKE</b><br>Magura, MT4, hydraulic disc                                                                                                                                                                       | <b>SEATPOST</b><br>Limotec, A3, suspension + telescopic, aluminium diameter 34.9mm, 100mm amplitude, 40mm suspension, comfortable and safe. | <b>GVWR</b><br>200 kg                                                                                                                                                                                                                        |
| <b>REAR BRAKE</b><br>Magura, MT4, hydraulic disc                                                                                                                                                                        | <b>SEATCLAMP</b><br>Moustache, alloy, 34.9mm                                                                                                |                                                                                                                                                                                                                                              |

# LUNDI 20 CARGO 5

L05OGU500250



## WARRANTY

5 years frame and fork Moustache Bikes - 2 years  
motor, battery



Find this bike online

{MOUSTACHE

# LUNDI 20 CARGO 5

L05OGU500250



## Lundi 20 Cargo 3 / 5

| ST - Taille / Size                     | mm | 390         |
|----------------------------------------|----|-------------|
| Taille utilisateur / User size         | m  | 1,57 - 1,90 |
| TT - Tube supérieur / Top tube         | mm | 603         |
| RC - Bases / Rear center               | mm | 610         |
| HT - Douille de direction / Headtube   | mm | 300         |
| WB - Empattement / Wheelbase           | mm | 1272        |
| FL - Longueur de fourche / Fork length | mm | 402         |
| BB - Hauteur de boîtier / BB height    | mm | 288         |
| SA - Angle de selle / Seat angle       | °  | 70,5        |
| HA - Angle de direction / Head angle   | °  | 69,5        |
| Reach                                  | mm | 382         |
| Stack                                  | mm | 622         |
| SO - Enjambement / Standover           | mm | 530         |
| Longueur totale / Total length         | mm | 1968        |
| Hauteur totale / Total height          | mm | 1116        |



Find this bike online

**[NOUSTACHE**