

XROAD FS 2

XR2FBM50L270



Product specifications may change without notice. Non-contractual information.

FRAME

Xroad FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

FORK

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

SHOCK

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

MOTOR

Bosch, Performance Line BDU34, Smart System, 75Nm

BATTERY

Bosch, PowerTube 540Wh

CONDITIONS

Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .

CHARGER

Bosch, 2Ah

REMOTE

Bosch, Purion 200, Smart System

BCM

Not equipped with Bosch ConnectModule

RANGE AUTONOMY

130 km

REAR DERAILLEUR

Shimano, CUES, RD-U3020, 9-speed

CHAINRING

Narrow-Wide, 40 teeth

CASSETTE

Sunrace, CSU98.9AW, 9-speed, 11-36T

CHAIN

Shimano, LG500, 130 links

SHIFTER

Shimano, CUES, SL-U4000-9R, 9-speed

CRANKS

Stronglight, aluminium, 170mm, ISI

FRONT BRAKE

Shimano, MT200, hydraulic disc

REAR BRAKE

Shimano, MT200, hydraulic disc

FRONT ROTOR

Shimano, 180mm

REAR ROTOR

Shimano, 180mm

FRONT HUB

Shimano, 32H, 9x100mm, QR (Quick Release)

REAR HUB

Shimano, 32H, 9x135mm, QR (Quick Release)

FRONT RIM

Alloy , 32 holes, 27.5", internal width 23 mm

REAR RIM

Alloy , 32 holes, 27.5", internal width 23 mm

FRONT TYRE

Schwalbe, Smart Sam, 27.5x2.35, reflective

REAR TYRE

Schwalbe, Smart Sam, 27.5x2.35, reflective

HANDLEBAR

Moustache, ergonomic, alloy, 660mm, 30° backsweep

STEM

Moustache, alloy, adjustable, 65mm

HEADSET

Acros, AZF-699, sealed bearings, internal routing, blocklock

GRIPS

SB3, Ergonomic

SADDLE

Selle Royal, Essenza + moderate

SEATPOST

EXA, 900i, dropper-post w/remote lever, 31.6mm, 100mm

SEATCLAMP

Moustache, alloy, 34.9mm

FRONT LIGHT

AXA, NXT, 80 lux, powered by main battery

REAR LIGHT

High-intensity LED integrated reflector, powered by main battery

HORN

Spanninga Minibell Black

LOCK

AXA, ATLAS, same key for framelock & battery lock.

KICKSTAND

Moustache, adjustable

MUDGUARD

Moustache, alloy, double wall design, w/alloy stays

CARRIER

Moustache, alloy, light, removable QL3 lateral fixation. MIK platform option.

FRONT CARRIER

PB-KITOP

PEDALS

alloy platform with reflectors

XROAD FS 2

XR2FBM50L270



SIZE

M

WEIGHT

27.3 kg

WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery

COLOR

Marine blue mat

GVWR

135 kg




Find this bike online

{MOUSTACHE

XROAD FS 2

XR2FBM50L270



Xroad FS / Samedi 27 OFF FS

ST - Taille / Size	mm	(S)	(M)	(L)
Taille utilisateur / User size	m	1,55 - 1,72	1,65 - 1,85	1,80 - 1,95
ST - Tube de selle / Seat tube	m	410	460	460
TT - Tube supérieur / Top tube	mm	580	600	600
RC - Bases / Rear center	mm	515	515	515
HT - Douille de direction / Headtube	mm	170	180	180
WB - Empattement / Wheelbase	mm	1190	1209	1209
FL - Longueur de fourche / Fork length	mm	527,5	527,5	527,5
BB - Hauteur de boîtier / BB height	mm	324	324	324
SA - Angle de selle / Seat angle	°	69,5	69,5	69,5
HA - Angle de direction / Head angle	°	66	66	66
Reach	mm	344	361	361
Stack	mm	651	661	661
SO - Enjambement / Standover	mm	518	518	518



Find this bike online

[NOUSTACHE