

MARDI 27.6 FS

2026

MA6FML6AL260



Product specifications may change without notice. Non-contractual information.

FRAME Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit	CHAIN Gates, CDX belt, clean, smooth and resistant	SADDLE Selle Royal, Essenza + moderate wide
FORK SR Suntour, Mobie 34, lockout function, 100mm travel	CRANKS Stronglight, aluminium, 170mm, ISI	SEATPOST EXA, 900i, dropper-post w/remote lever, 31.6mm, 150mm
SHOCK Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel	FRONT BRAKE Magura, MTA2, hydraulic disc, 2 pistons	SEATCLAMP Moustache, alloy, 34.9mm
MOTOR Bosch, Performance Line CX, Smart System, 100 Nm	REAR BRAKE Magura, MTA2, hydraulic disc, 2 pistons	FRONT LIGHT AXA, NXT, 80 lux, powered by main battery
BATTERY Bosch, PowerTube 600Wh, Smart System	FRONT ROTOR Magura, MT A2, 180mm	REAR LIGHT Spanninga, Presto2Guard, powered by main battery
CONDITIONS Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .	REAR ROTOR Magura, MT A2, 160mm	HORN Spanninga Minibell Black
CHARGER Bosch, 4Ah	REAR HUB Enviolo, Heavy Duty 380%, 32H, 12x148mm, nut	LOCK ABUS, 6950ML, same key for framelock & battery lock. One-Key option.
DISPLAY Bosch, Smartphone Grip	FRONT RIM Alloy , 32 holes, 27.5', internal width 27 mm	KICKSTAND Moustache, adjustable
REMOTE Bosch, Purion 200, Smart System	REAR RIM Alloy , 32 holes, 27.5', internal width 27 mm	MUDGUARD Moustache, alloy, double wall design, w/alloy stays
BCM Not equipped with Bosch ConnectModule	FRONT TYRE Schwalbe, Super Moto-X, 27.5x2.40, Reflective	CARRIER Moustache, alloy, light, removable QL3 lateral fixation. MIK platform option.
RANGE AUTONOMY 124 km	REAR TYRE Schwalbe, Super Moto-X, 27.5x2.40, Reflective	FRONT CARRIER PB-KITOP
REAR DERAILLEUR Enviolo Automatic	HANDLEBAR Moustache, ergonomic, alloy, 660mm, 30° backsweep	PEDALS alloy platform with reflectors
CHAINRING Gates, 50T	STEM Moustache, alloy, adjustable, 110mm	SIZE L
CASSETTE Gates, 22T	HEADSET Acros, AZF-699, sealed bearings, internal routing, blocklock	COLOR Earth metal
	GRIPS SB3, Ergonomic	WEIGHT 29.1 kg

MARDI 27.6 FS

2026

MA6FML6AL260



GVWR

160 kg

WARRANTY

5 years frame and fork Moustache Bikes - 2 years
motor, battery




Find this bike online

{MOUSTACHE

MARDI 27.6 FS

2026

MA6FML6AL260



Mardi 27 FS

ST - Taille / Size	mm	(S)	(M)	(L)
Taille utilisateur / User size	m	1,55 - 1,72	1,65 - 1,85	1,80 - 1,95
ST - Tube de selle / Seat tube	mm	410	460	460
TT - Tube supérieur / Top tube	mm	580	600	600
RC - Bases / Rear center	mm	515	515	515
HT - Douille de direction / Headtube	mm	170	180	180
WB - Empattement / Wheelbase	mm	1177	1198	1198
FL - Longueur de fourche / Fork length	mm	501.5	501.5	501.5
BB - Hauteur de boîtier / BB height	mm	312	312	312
SA - Angle de selle / Seat angle	°	70.7	70.7	70.7
HA - Angle de direction / Head angle	°	67.2	67.2	67.2
Reach	mm	357	374	374
Stack	mm	644	654	654
SO - Enjambement / Standover	mm	507	507	507



Find this bike online

TOUSTACHE