# GAME 160.8

G68FBL600250




Product specifications may change without notice. Non-contractual information.

**FRAME**
Game, 6061 T4-T6 alloy, 160mm travel, custom integration of Bosch PowerTube battery and new CX drive unit, internal cable routing, 12x148mm, Boost

**FORK**
FOX, 38 Factory, GRIP X2 w/HSC/LSC/HSR/LSR, 170mm travel, 15x110mm Boost, 44mm offset, mini-fender mounted

**SHOCK**
Fox, Float X, Factory, Kashima coating, 2 positions lever, rebound and compression adjustement, Moustache tune, 230-65mm, 160mm travel

**MOTOR**
Bosch, Performance Line CX BDU38, Smart System, 120 Nm

**BATTERY**
Bosch, PowerTube 600Wh, Smart System

**DISPLAY**
Bosch, Purion 400, Smart System

**REMOTE**
Bosch, System Controller and Mini Remote, Smart System

**CONDITIONS**
Maximum distance, calculated for a 70kg rider in ideal conditions.  Estimate your battery range .

**CHARGER**
Bosch, 4Ah

**BCM**
Not equipped with Bosch ConnectModule

**RANGE AUTONOMY**
97 km

**REAR DERAILLEUR**
SRAM, GX AXS T-Type, 12-speed, electronic

**CHAINRING**
SRAM, T-Type, Narrow Wide, 36 teeth

**CASSETTE**
SRAM, XS-1270 12-speed, 10-52T

**CHAIN**
Sram, GX T-Type, 12-speed, 122 links

**SHIFTER**
SRAM, AXS Pod, 12-speed

**CRANKS**
FSA, forged + CNC aluminium, 165mm

**FRONT BRAKE**
Shimano, XT BR-M8120, hydraulic disc, 4 pistons

**REAR BRAKE**
Shimano, XT, BR-M8120, hydraulic disc, 4 pistons

**FRONT ROTOR**
Shimano, 220mm

**REAR ROTOR**
Shimano, 203mm

**FRONT HUB**
Moustache by Mavic, 28H, Centerlock, 15x110mm, thru axle

**REAR HUB**
Moustache by Mavic, 28H, ID360, 12x148mm, thru axle

**FRONT RIM**
Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

**REAR RIM**
Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

**WHEELS**
Moustache AL / Maxxis Assegai 29x2.5 DD

**FRONT TYRE**
Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / EXO+ / TR (Tubeless Ready)

**REAR TYRE**
Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / DD / TR (Tubeless Ready)

**HANDLEBAR**
Moustache, alloy, 780mm, 35mm, 30mm rise, 9° backsweep, 5° upsweep

**STEM**
Moustache, alloy, CNC, 40mm

**HEADSET**
Acros, AZF-725, sealed bearings, internal routing, integrated multi-tool

**GRIPS**
SB3, Hornet

**SADDLE**
Fizik, Terra Aidon X5

**SEATPOST**
KS, Rage-i, dropper-post w/ Shimano remote lever, 31.6mm, 170mm

**SEATCLAMP**
Moustache, alloy, 38.6mm

**FRONT LIGHT**
-

**PEDALS**
alloy platform with reflectors

**SIZE**
L

**COLOR**
Night Rider glossy

**WEIGHT**
24.3 kg

# GAME 160.8

G68FBL600250




**GVWR**

140 kg

**WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery


**Find this bike online**

MOUSTACHE

# GAME 160.8

G68FBL600250




## GAME 160.7 / 8 / 9

| ST - Taille / Size | mm | 390 (S) | 410 (M) | 435 (L) | 460 (XL) |
|---|---|---|---|---|---|
| Taille utilisateur / User size | m | 1,55 - 1,70 | 1,65 - 1,80 | 1,75 - 1,90 | 1,85 - 2,03 |
| TT - Tube supérieur / Top tube | mm | 590 | 620 | 645 | 670 |
| RC - Bases / Rear center | mm | 462 | 462 | 462 | 462 |
| HT - Douille de direction / Headtube | mm | 100 | 112 | 130 | 140 |
| WB - Empattement / Wheelbase | mm | 1233 | 1266 | 1295 | 1322 |
| FL - Longueur de fourche / Fork length | mm | 587 | 587 | 587 | 587 |
| BB - Hauteur de boitier / BB height | mm | 353 | 353 | 353 | 353 |
| SA - Angle de selle / Seat angle | ° | 75,8 | 75,8 | 75,8 | 75,8 |
| HA - Angle de direction / Head angle | ° | 64,2 | 64,2 | 64,2 | 64,2 |
| Reach | mm | 430 | 460 | 480 | 503 |
| Stack | mm | 625 | 636 | 652 | 662 |
| SO - Enjambement / Standover | mm | 836 | 836 | 836 | 836 |

**Find this bike online**

{MOUSTACHE