

# GAME 160.9 RACE

G69FVL6R0260



Product specifications may change without notice. Non-contractual information.

|                                                                                                                                                                    |                                                                                                                                                                                                       |                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>FRAME</b><br>Game, 6061 T4-T6 alloy, 160mm travel, custom integration of Bosch PowerTube battery and new CX drive unit, internal cable routing, 12x148mm, Boost | <b>CHAIN</b><br>Sram, X0 T-Type, 12-speed, 122 links                                                                                                                                                  | <b>REAR TYRE</b><br>Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / DD / TR (Tubeless Ready) |
| <b>FORK</b><br>FOX, 38 Factory, GRIP X2 w/HSC/LSC/HSR/LSR, 170mm travel, 15x110mm Boost, 44mm offset, mini-fender mounted                                          | <b>SHIFTER</b><br>SRAM, AXS Pod, 12-speed                                                                                                                                                             | <b>HANDLEBAR</b><br>Moustache, alloy, 780mm, 35mm, 30mm rise, 9° backsweep, 5° upsweep         |
| <b>SHOCK</b><br>Fox, Float X, Factory, Kashima coating, 2 positions lever, rebound and compression ajustement, Moustache tune, 230-65mm, 160mm travel              | <b>CRANKS</b><br>FSA, forged + CNC aluminium, 165mm                                                                                                                                                   | <b>STEM</b><br>Moustache, alloy, CNC, 40mm                                                     |
| <b>MOTOR</b><br>Bosch, Performance Line CX-R BDU38, Smart System, 120Nm                                                                                            | <b>FRONT BRAKE</b><br>Shimano, XT BR-M8120, hydraulic disc, 4 pistons                                                                                                                                 | <b>HEADSET</b><br>Acros, AZF-725, sealed bearings, internal routing, integrated multi-tool     |
| <b>BATTERY</b><br>Bosch, PowerTube 600Wh, Smart System                                                                                                             | <b>REAR BRAKE</b><br>Shimano, XT, BR-M8120, hydraulic disc, 4 pistons                                                                                                                                 | <b>GRIPS</b><br>SB3, Hornet                                                                    |
| <b>AUTONOMY</b><br>97 km                                                                                                                                           | <b>FRONT ROTOR</b><br>Shimano, XT, alloy star, 203mm                                                                                                                                                  | <b>SADDLE</b><br>Fizik, Terra Aidon X5                                                         |
| <b>CHARGER</b><br>Bosch, 4Ah                                                                                                                                       | <b>REAR ROTOR</b><br>Shimano, XT, alloy star, 203mm                                                                                                                                                   | <b>SEATPOST</b><br>Fox, Transfer, dropper-post w/ remote lever, 31.6mm, 180mm                  |
| <b>DISPLAY</b><br>Bosch, Purion 400, Smart System                                                                                                                  | <b>FRONT HUB</b><br>Moustache by Mavic, 28H, Centerlock, 15x110mm, thru axle                                                                                                                          | <b>SEATCLAMP</b><br>Moustache, alloy, 38.6mm                                                   |
| <b>REMOTE</b><br>Bosch, System Controller and Mini Remote, Smart System                                                                                            | <b>REAR HUB</b><br>Moustache by Mavic, 28H, ID360, 12x148mm, thru axle                                                                                                                                | <b>FRONT LIGHT</b><br>-                                                                        |
| <b>BCM</b><br>Not equipped with Bosch ConnectModule                                                                                                                | <b>FRONT RIM</b><br>Moustache, asymmetric, Just_Carbon, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, triple thickness spokes, brass nuts with locking "Blue Nylon" insert | <b>PEDALS</b><br>alloy platform with reflectors                                                |
| <b>REAR DERAILLEUR</b><br>SRAM, X0 AXS T-Type, 12-speed, electronic                                                                                                | <b>REAR RIM</b><br>Moustache, asymmetric, Just_Carbon, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, triple thickness spokes, brass nuts with locking "Blue Nylon" insert  | <b>SIZE</b><br>L                                                                               |
| <b>CHAINRING</b><br>SRAM, T-Type, Narrow Wide, 36 teeth                                                                                                            | <b>FRONT TYRE</b><br>Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / EXO+ / TR (Tubeless Ready)                                                                                                     | <b>COLOR</b><br>High Voltage Green Glossy                                                      |
| <b>CASSETTE</b><br>SRAM, GX, XS-1275 12-speed, 10-52T                                                                                                              |                                                                                                                                                                                                       | <b>WEIGHT</b><br>24.2 kg                                                                       |
|                                                                                                                                                                    |                                                                                                                                                                                                       | <b>GVWR</b><br>140 kg                                                                          |

# GAME 160.9 RACE

G69FVL6R0260



## WARRANTY

5 years frame and fork Moustache Bikes - 2 years  
motor, battery




Find this bike online

{MOUSTACHE

# GAME 160.9 RACE

G69FVL6R0260



## GAME 160.7 / 8 / 9

| ST - Taille / Size                     | mm | 390 (S)     | 410 (M)     | 435 (L)     | 460 (XL)    |
|----------------------------------------|----|-------------|-------------|-------------|-------------|
| Taille utilisateur / User size         | m  | 1,55 - 1,70 | 1,65 - 1,80 | 1,75 - 1,90 | 1,85 - 2,03 |
| TT - Tube supérieur / Top tube         | mm | 590         | 620         | 645         | 670         |
| RC - Bases / Rear center               | mm | 462         | 462         | 462         | 462         |
| HT - Douille de direction / Headtube   | mm | 100         | 112         | 130         | 140         |
| WB - Empattement / Wheelbase           | mm | 1233        | 1266        | 1295        | 1322        |
| FL - Longueur de fourche / Fork length | mm | 587         | 587         | 587         | 587         |
| BB - Hauteur de boîtier / BB height    | mm | 353         | 353         | 353         | 353         |
| SA - Angle de selle / Seat angle       | °  | 75,8        | 75,8        | 75,8        | 75,8        |
| HA - Angle de direction / Head angle   | °  | 64,2        | 64,2        | 64,2        | 64,2        |
| Reach                                  | mm | 430         | 460         | 480         | 503         |
| Stack                                  | mm | 625         | 636         | 652         | 662         |
| SO - Enjambement / Standover           | mm | 836         | 836         | 836         | 836         |



Find this bike online

**TOUSTACHE**