

TRAIL 150.4

2025

TR4FJX700250



Product specifications may change without notice. Non-contractual information.

FRAME Trail, 6061 T4-T6 alloy, w/150mm travel, Bosch PowerTube battery custom integration (horizontal), 12x148mm, Boost, motor cover w/cooling fins & chainguide	CASSETTE Shimano, Deore, CS-M6100 12-speed, 10-51T	REAR TYRE Maxxis, Rekon, 29x2.40, foldable, EXO/TR (Tubeless Ready)
FORK RockShox, PSYLO Silver RC, Solo Air spring w/ external rebound, Motion Control damping featuring low speed compression adjustment to lockout 150mm travel, 15x110mm, Boost, 44mm Offset, mini-fender compatible	CHAIN Shimano, CN-M6100, 12-speed, 120 links	HANDLEBAR Moustache, alloy, 760mm, 31.8mm, 12mm rise, 9° backsweep, 5° upsweep
SHOCK Moustache, Magic Grip Control 150, specific Air Shock w/ 2-position platform and dynamic control of rebound, Trunion mount, build-in 205x60mm, 150mm travel	SHIFTER Shimano, Deore, SL-M6100, 12-speed	STEM Moustache, alloy, 3D forged, 40mm
MOTOR Bosch, Performance Line CX BDU37,Smart System, 85Nm	CRANKS Moustache, forged aluminium, 165mm	HEADSET FSA, N°55R/57, sealed bearings
BATTERY Bosch, PowerTube 750Wh, horizontal, Smart System	FRONT BRAKE Magura, MT5, hydraulic disc, 4 pistons	GRIPS SB3, Race
CONDITIONS Maximum distance, calculated for a 70kg rider in ideal conditions. Estimate your battery range .	REAR BRAKE Magura, MT5, hydraulic disc, 4 pistons	SADDLE Moustache, Sport, steel rails
CHARGER Bosch, 4Ah	FRONT ROTOR Magura, MDR-C, 203mm	SEATPOST EXA, 900i, dropper-post w/remote lever, 31.6mm, 170mm
REMOTE Bosch, Purion 200, Smart System	REAR ROTOR Magura, MDR-C, 203mm	SEATCLAMP Moustache, alloy, 38.6mm
BCM Not equipped with Bosch ConnectModule	FRONT HUB Shimano, 28H, 15x110mm, thru axle	FRONT LIGHT -
RANGE AUTONOMY 117 km	REAR HUB Shimano, 28H, 12x148mm, thru axle	PEDALS alloy platform with reflectors
REAR DERAILEUR Shimano, XT, RD-M8100-SGS, 12-speed	FRONT RIM Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert	SIZE XL
CHAINRING FSA, Narrow Wide, 34 teeth	REAR RIM Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert	COLOR Black / ocker glossy
	FRONT TYRE Maxxis, Rekon, 29x2.40, foldable, EXO/TR (Tubeless Ready)	WEIGHT 25.1 kg
		GVWR 140 kg

TRAIL 150.4 2025

TR4FJX700250



WARRANTY

5 years frame and fork Moustache Bikes - 2 years
motor, battery




Find this bike online

{MOUSTACHE

TRAIL 150.4

2025

TR4FJX700250



Trail 150.2 / 4

ST - Taille / Size	mm	390 (S)	420 (M)	450 (L)	480 (XL)
Taille utilisateur / User size	m	1,56 - 1,72	1,69 - 1,85	1,82 - 1,98	1,95 - 2,11
TT - Tube supérieur / Top tube	mm	588	618	643	668
RC - Bases / Rear center	mm	462	462	462	462
HT - Douille de direction / Headtube	mm	100	110	130	140
WB - Empattement / Wheelbase	mm	1218	1250	1279	1306
FL - Longueur de fourche / Fork length	mm	560	560	560	560
BB - Hauteur de boîtier / BB height	mm	350	350	350	350
SA - Angle de selle / Seat angle	°	76,6	76,6	76,6	76,6
HA - Angle de direction / Head angle	°	65,6	65,6	65,6	65,6
Reach	mm	441	468	489	512
Stack	mm	623	632	650	659
SO - Enjambement / Standover	mm	836	845	863	873



Find this bike online

TWOUSTACHE