

GAME 150.8

G58FBL600250



Product specifications may change without notice. Non-contractual information.

FRAME

Game, 6061 T4-T6 alloy, 150mm travel, custom integration of Bosch PowerTube battery and new CX drive unit, internal cable routing, 12x148mm, Boost

FORK

FOX, 36 Factory, Kashima coating, GRIP X2 w/ HSC/ LSC/HSR/LSR, 160mm travel, 15x110mm, Boost, 44mm Offset, mini-fender mounted

SHOCK

Moustache, Magic Grip Control 150, specific Air Shock w/ 2-position platform and dynamic control of rebound, build-in 230x60mm, 150mm travel

MOTOR

Bosch, Performance Line CX BDU38, Smart System, 120 Nm

BATTERY

Bosch, PowerTube 600Wh, Smart System

AUTONOMY

97 km

CHARGER

Bosch, 4Ah

DISPLAY

Bosch, Purion 400, Smart System

REMOTE

Bosch, System Controller and Mini Remote, Smart System

BCM

Not equipped with Bosch ConnectModule

REAR DERAILLEUR

SRAM, GX AXS T-Type, 12-speed, electronic

CHAINRING

SRAM, T-Type, Narrow Wide, 36 teeth

CASSETTE

SRAM, XS-1270 12-speed, 10-52T

CHAIN

Sram, GX T-Type, 12-speed, 122 links

SHIFTER

SRAM, AXS Pod, 12-speed

CRANKS

FSA, forged + CNC aluminium, 165mm

FRONT BRAKE

Shimano, XT, BR-M8120, hydraulic disc, 4 pistons

REAR BRAKE

Shimano, XT, BR-M8120, hydraulic disc, 4 pistons

FRONT ROTOR

Shimano, XT, alloy star, 203mm

REAR ROTOR

Shimano, XT, alloy star, 203mm

FRONT HUB

Moustache by Mavic, 28H, Centerlock, 15x110mm, thru axle

REAR HUB

Moustache by Mavic, 28H, ID360, 12x148mm, thru axle

FRONT RIM

Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

REAR RIM

Moustache, asymmetric, alloy 6061E, welded, double wall, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, brass nuts with locking "Blue Nylon" insert

FRONT TYRE

Maxxis, Assegai, 29x2.50, foldable, 3C MaxxTerra / EXO+ / TR (Tubeless Ready)

REAR TYRE

Maxxis, Assegai, 29x2.50, foldable, 3C MaxxTerra / EXO+ / TR (Tubeless Ready)

HANDLEBAR

Moustache, Just_Carbon, 780mm, 31.8mm, 12mm rise, 9° backsweep, 4° upsweep

STEM

Moustache, alloy, CNC, 40mm

HEADSET

Acros, AZF-725, sealed bearings, internal routing, integrated multi-tool

GRIPS

SB3, Race

SADDLE

Fizik, Terra Aidon X5

SEATPOST

KS, Rage-i, dropper-post w/ Shimano remote lever, 31.6mm, 170mm

SEATCLAMP

Moustache, alloy, 38.6mm

FRONT LIGHT

-

PEDALS

alloy platform with reflectors

SIZE

L

COLOR

Night Rider glossy

WEIGHT

23.5 kg

GVWR

140 kg

GAME 150.8

G58FBL600250



WARRANTY

5 years frame and fork Moustache Bikes - 2 years
motor, battery




Find this bike online

{MOUSTACHE

GAME 150.8

G58FBL600250



GAME 150.6 / 7 / 8

ST - Taille / Size	mm	390 (S)	410 (M)	435 (L)	460 (XL)
Taille utilisateur / User size	m	1,55 - 1,70	1,65 - 1,80	1,75 - 1,90	1,85 - 2,03
TT - Tube supérieur / Top tube	mm	590	620	645	670
RC - Bases / Rear center	mm	462	462	462	462
HT - Douille de direction / Headtube	mm	100	112	130	140
WB - Empattement / Wheelbase	mm	1228	1260	1289	1316
FL - Longueur de fourche / Fork length	mm	575	575	575	575
BB - Hauteur de boîtier / BB height	mm	349	349	349	349
SA - Angle de selle / Seat angle	°	76,3	76,3	76,3	76,3
HA - Angle de direction / Head angle	°	64,7	64,7	64,7	64,7
Reach	mm	437	465	485	510
Stack	mm	621	632	648	657
SO - Enjambement / Standover	mm	830	830	830	830



Find this bike online

TOUSTACHE