

# GAME 160.9 RACE

G69FVL6R0260



Product specifications may change without notice. Non-contractual information.

## FRAME

Game, 6061 T4-T6 alloy, 160mm travel, custom integration of Bosch PowerTube battery and new CX drive unit, internal cable routing, 12x148mm, Boost

## FORK

FOX, 38 Factory, GRIP X2 w/HSC/LSC/HSR/LSR, 170mm travel, 15x110mm Boost, 44mm offset, mini-fender mounted

## SHOCK

Fox, Float X, Factory, Kashima coating, 2 positions lever, rebound and compression adjustment, Moustache tune, 230-65mm, 160mm travel

## MOTOR

Bosch, Performance Line CX-R BDU38, Smart System, 120Nm

## BATTERY

Bosch, PowerTube 600Wh, Smart System

## AUTONOMY

97 km

## CHARGER

Bosch, 4Ah

## DISPLAY

Bosch, Purion 400, Smart System

## REMOTE

Bosch, System Controller and Mini Remote, Smart System

## BCM

Not equipped with Bosch ConnectModule

## REAR DERAILLEUR

SRAM, X0 AXS T-Type, 12-speed, electronic

## CHAINRING

SRAM, T-Type, Narrow Wide, 36 teeth

## CASSETTE

SRAM, GX, XS-1275 12-speed, 10-52T

## CHAIN

Sram, X0 T-Type, 12-speed, 122 links

## SHIFTER

SRAM, AXS Pod, 12-speed

## CRANKS

FSA, forged + CNC aluminium, 165mm

## FRONT BRAKE

Shimano, XT BR-M8120, hydraulic disc, 4 pistons

## REAR BRAKE

Shimano, XT, BR-M8120, hydraulic disc, 4 pistons

## FRONT ROTOR

Shimano, XT, alloy star, 203mm

## REAR ROTOR

Shimano, XT, alloy star, 203mm

## FRONT HUB

Moustache by Mavic, 28H, Centerlock, 15x110mm, thru axle

## REAR HUB

Moustache by Mavic, 28H, ID360, 12x148mm, thru axle

## FRONT RIM

Moustache, asymmetric, Just\_Carbon, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, triple thickness spokes, brass nuts with locking "Blue Nylon" insert

## REAR RIM

Moustache, asymmetric, Just\_Carbon, 28 holes, 29", internal width 30mm, mounted with Tubeless valves & flap, triple thickness spokes, brass nuts with locking "Blue Nylon" insert

## FRONT TYRE

Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / EXO+ / TR (Tubeless Ready)

## REAR TYRE

Maxxis, Assegai, 29x2.50, foldable, 3C MaxxGrip / DD / TR (Tubeless Ready)

## HANDLEBAR

Moustache, alloy, 780mm, 35mm, 30mm rise, 9° backsweep, 5° upsweep

## STEM

Moustache, alloy, CNC, 40mm

## HEADSET

Acros, AZF-725, sealed bearings, internal routing, integrated multi-tool

## GRIPS

SB3, Hornet

## SADDLE

Fizik, Terra Aidon X5

## SEATPOST

Fox, Transfer, dropper-post w/ remote lever, 31.6mm, 180mm

## SEATCLAMP

Moustache, alloy, 38.6mm

## FRONT LIGHT

-

## PEDALS

alloy platform with reflectors

## SIZE

L

## COLOR

High Voltage Green Glossy

## WEIGHT

24.2 kg

## GVWR

140 kg

# GAME 160.9 RACE

G69FVL6R0260



## WARRANTY

5 years frame and fork Moustache Bikes - 2 years  
motor, battery




Find this bike online

{MOUSTACHE

# GAME 160.9 RACE

G69FVL6R0260



## GAME 160.7 / 8 / 9

| ST - Taille / Size                     | mm | 390 (S)     | 410 (M)     | 435 (L)     | 460 (XL)    |
|----------------------------------------|----|-------------|-------------|-------------|-------------|
| Taille utilisateur / User size         | m  | 1,55 - 1,70 | 1,65 - 1,80 | 1,75 - 1,90 | 1,85 - 2,03 |
| TT - Tube supérieur / Top tube         | mm | 590         | 620         | 645         | 670         |
| RC - Bases / Rear center               | mm | 462         | 462         | 462         | 462         |
| HT - Douille de direction / Headtube   | mm | 100         | 112         | 130         | 140         |
| WB - Empattement / Wheelbase           | mm | 1233        | 1266        | 1295        | 1322        |
| FL - Longueur de fourche / Fork length | mm | 587         | 587         | 587         | 587         |
| BB - Hauteur de boîtier / BB height    | mm | 353         | 353         | 353         | 353         |
| SA - Angle de selle / Seat angle       | °  | 75,8        | 75,8        | 75,8        | 75,8        |
| HA - Angle de direction / Head angle   | °  | 64,2        | 64,2        | 64,2        | 64,2        |
| Reach                                  | mm | 430         | 460         | 480         | 503         |
| Stack                                  | mm | 625         | 636         | 652         | 662         |
| SO - Enjambement / Standover           | mm | 836         | 836         | 836         | 836         |



Find this bike online

{NOUSTACHE