

XROAD FS 6

XR6FBL60L260



Product specifications may change without notice. Non-contractual information.

FRAME

Xroad FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

FORK

SR Suntour, XCR 34, lockout function, 120mm travel

SHOCK

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

MOTOR

Bosch, Performance Line CX BDU38, Smart System, 120 Nm

BATTERY

Bosch, PowerTube 600Wh, Smart System

AUTONOMY

135 km

CHARGER

Bosch, 4Ah

DISPLAY

Bosch, Kiox 500, Smart System

REMOTE

Bosch, LED remote Bluetooth

BCM

Not equipped with Bosch ConnectModule

REAR DERAILLEUR

Shimano, CUES, RD-U6020-11, 11-speed

CHAINRING

Narrow-Wide, 38 teeth

CASSETTE

Shimano, CUES, CS-LG400 11-speed, 11-45T

CHAIN

Shimano, LG500, 130 links

SHIFTER

Shimano, CUES, SL-U6000-11R, 11-speed

CRANKS

Stronglight, aluminium, 170mm, ISI

FRONT BRAKE

Magura, MT Thirty, hydraulic disc, 4 pistons

REAR BRAKE

Magura, MT Thirty, hydraulic disc, 2 pistons

FRONT ROTOR

Magura, MDR-C, 180mm

REAR ROTOR

Magura, MDR-C, 180mm

FRONT HUB

Shimano, 32H, 15x110mm, thru axle

REAR HUB

Shimano, 32H, 15x100mm, thru axle

FRONT RIM

Alloy , 32 holes, 27.5", internal width 27 mm

REAR RIM

Alloy , 32 holes, 27.5", internal width 27 mm

FRONT TYRE

Schwalbe, Smart Sam, 27.5x2.35, reflective

REAR TYRE

Schwalbe, Smart Sam, 27.5x2.35, reflective

HANDLEBAR

Moustache, ergonomic, alloy, 660mm, 30° backsweep

STEM

Moustache, alloy, adjustable, 110mm

HEADSET

Acros, AZF-699, sealed bearings, internal routing, blocklock

GRIPS

SB3, Ergonomic

SADDLE

Selle Royal, Essenza + moderate

SEATPOST

EXA, 900i, dropper-post w/remote lever, 31.6mm, 150mm

SEATCLAMP

Moustache, alloy, 34.9mm

FRONT LIGHT

AXA, NXT, 80 lux, powered by main battery

REAR LIGHT

Spanninga, Presto2Guard, powered by main battery

HORN

Spanninga Minibell Black

LOCK

Battery lock ABUS, Xplus, One-Key option. Framelock Axa Block XXL.

KICKSTAND

Moustache, adjustable

MUDGUARD

Moustache, alloy, double wall design, w/alloy stays

CARRIER

Moustache, alloy, light, removable QL3 lateral fixation. MIK platform option.

FRONT CARRIER

PB-KITOP

PEDALS

alloy platform with reflectors

SIZE

L

COLOR

Marine blue mat

XROAD FS 6

XR6FBL60L260



WEIGHT

27.4 kg

GVWR

160 kg

WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery




Find this bike online

{MOUSTACHE

XROAD FS 6

XR6FBL60L260



Xroad FS / Samedi 27 OFF FS

ST - Taille / Size	mm	(S)	(M)	(L)
Taille utilisateur / User size	m	1,55 - 1,72	1,65 - 1,85	1,80 - 1,95
ST - Tube de selle / Seat tube	mm	410	460	460
TT - Tube supérieur / Top tube	mm	580	600	600
RC - Bases / Rear center	mm	515	515	515
HT - Douille de direction / Headtube	mm	170	180	180
WB - Empattement / Wheelbase	mm	1190	1209	1209
FL - Longueur de fourche / Fork length	mm	527,5	527,5	527,5
BB - Hauteur de boîtier / BB height	mm	324	324	324
SA - Angle de selle / Seat angle	°	69,5	69,5	69,5
HA - Angle de direction / Head angle	°	66	66	66
Reach	mm	344	361	361
Stack	mm	651	661	661
SO - Enjambement / Standover	mm	518	518	518



Find this bike online

[T]OUSTACHE